

Data Sheet Fujitsu SL23T-1 LED Display

Advanced Display: 58.4 cm (23-inch) widescreen Lifestyle design and advanced entertainment features

The SL23T-1 LED comes in a 16:9 format with an eye-catching piano black ultra-slim design. With the 3 ms response time and the ultra high 5,000,000:1 contrast ratio (ACR) it is the perfect display for home entertainment. There is no compromise in picture quality and energy efficiency. It is intuitive to handle thanks to sensor keys and support languages.

Widescreen display with LED backlit panel in optimum 16:9 movie format

1920 x 1080 Full HD resolution for ultimate entertainment and work experience

3 ms fast response time for internet, office, gaming and more

Touch sensor keys for smart adjustments

2 x HDMI (CEC-compliant), D-Sub for high flexibility

< 1W/inch typical power consumption and Energy Star compliant

Due to integrated speakers no further accessories needed































Technical details

Special features	
"tand datatle	LED backlight panel, 6 + 1 touch sensor keys, ECO Status LED: 3 colors for 3 modes, keep aspect ratio option
Stand details	
Stand	removable
ilt angle	- 5° / + 15°
Picture performance	1000.1
Contrast - typical	1000:1
Contrast - advanced	5,000,000:1
Response time typical	5 ms
Response time gray to gray typical	3 ms
/iewing angle (h/v) - typical	176°/170°
Color performance	16.7 million colors (Hi-FRC)
Brightness - typical	250 cd/m
ize and resolution	
Aspect ratio	16:9
Diagonal Size	58.4 cm (23-inch)
Resolution (native)	1920 x 1080 pixel (recommended)
Resolution (interpolated)	1920 x 1080 pixel, 1680 x 1050 pixel, 1600 x 900 pixel, 1440 x 900 pixel, 1366 x 768 pixel, 1280 x 1024 pixel, 1280 x 800 pixel, 1280 x 720 pixel, 1024 x 768 pixel, 800 x 600 pixel, 720 x 400 pixel, 640 x 480 pixel
/ideo modes	1080i/p, 720i/p, 576i/p, 480i/p
Pixel Pitch	0.265 mm
requencies	
lorizontal analog	31 kHz to 94 kHz
lorizontal digital	15 kHz to 83 kHz
/ertical	56 - 76 Hz
requencies - bandwidth	225 MHz
onnectivity	
IDMI	2 x HDMI
/GA/D-SUB	1 x D-SUB
audio signal output	S/PDIF (optical)
audio signal input	3.5 mm stereo phone jack
Audio sound output	2 x 1 W
IDMI audio	Yes
OSD Languages and setting options	
anguages	Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish
Brightness / Contrast	Brightness, Contrast, Black level, Auto level
olor	6500K, 7500K, 9300K, Native, sRGB, Custom Color
mage adjust	H-Position, V-Position, Sharpness, Clock, Phase
Audio	Mute, Volume
nformation	Resolution/mode, Signal input
Power consumption (typical, w/o soun	d)
oft switch off	0.5 W
Power save mode	0.5 W
Operating with EPA settings	21 W
Operating maximum brightness	24 W
Electrical values	
Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1
. IUCCCUUII CIBSS	

Page 2 / 4 http://ts.fujitsu.com/displays

Compliance	
Europe	CE, RoHS, WEEE, IT-Eco-Declaration
Russia	GOST
USA/Canada	FCC Class B, cUL
Australia/New Zealand	C-Tick
Saudi Arabia	SASO
Global	TCO Displays 5.1, ENERGY STAR® 5.0, ISO9241-307 (Pixel fault class I)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Quality and Reliability	
MTBF (demonstrated)	50.000 h
Dimensions / Weight / Environmental	
Dimension without stand $(W \times D \times H)$	548 x 43 x 343.5 mm
Dimension with stand (W x D x H)	548 x 189.2 x 404.5 mm
Weight (packed)	5.5 kg
Weight (unpacked)	3.4 kg
Weight (Monitor only)	3.4 kg
Operating ambient temperature	5 - 35℃
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock
Package content	
Display delivered accessories	Data cable 1.8 m, D-SUB (15-pin), Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, User
	manual, Warranty booklet, Quickstart flyer
Display delivered accessories notes	Data cables and audio cable detachable on display
Order information	
Order Code	S26361-K1381-V160
EAN-No.	4049699338809
Warranty	
Standard Warranty	3 years
Service level	Collect & Return Service (depending on country)
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

Page 3 / 4 http://ts.fujitsu.com/displays

More information

Fujitsu platform solutions

In addition to Fujitsu SL23T-1 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu SL23T-1 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://ts.fujitsu.com/displays

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/qlobal/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-12-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions